



- FLOOR PLAN LEGEND**
- FULL HEIGHT METAL STUD @ 16" O.C. U.N.O. WITH SOUND BATT. INSULATION AND FINISHES FULL HEIGHT FROM FINISH FLOOR TO DECK ABOVE. REFER TO DETAIL 6, 7 & 8/AS906.
  - PARTIAL HEIGHT METAL STUD @ 16" O.C. U.N.O. WITH SOUND BATT. INSULATION AND FINISHES FROM FINISH FLOOR TO 2" ABOVE FINISH CEILING. REFER TO DETAIL 5/AS906.
  - (E) METAL STUD WALL WITH SOUND BATT INSULATION. WALL AND FINISHES FULL HEIGHT FROM FINISH FLOOR TO DECK ABOVE. REPLACE FINISHES WHERE NOTED.
  - (E) METAL STUD WALL WITH THERMAL INSULATION. WALL AND FINISHES FULL HEIGHT FROM FINISH FLOOR TO DECK ABOVE. REPLACE FINISHES WHERE NOTED.
  - (E) FULL HEIGHT STRUCTURAL CONCRETE WALL.
  - (E) METAL STUD WALL WITH SOUND BATT INSULATION. WALL AND FINISHES PARTIAL HEIGHT. REPLACE FINISHES WHERE NOTED.
  - (E) WORK STATION. FURNITURE PARTITION.
  - 1 HR FIRE BARRIER. WALL AND FINISHES FULL HEIGHT FROM FLOOR TO DECK ABOVE.
  - (E) 2 HR FIRE BARRIER. WALL AND FINISHES FULL HEIGHT FROM FLOOR TO DECK ABOVE.

- THIRD FLOOR PLAN - REMODEL KEYNOTES**
- ① P1 TYPICAL WALL PAINT THROUGHOUT, U.N.O.
  - ② P6 TYPICAL CEILING PAINT THROUGHOUT, U.N.O.
  - ③ B1 TYPICAL WALL BASE THROUGHOUT, U.N.O.

- INTERIOR FINISH LEGEND**
- CPT1
  - CPT2
  - VCT1 (WHITE)
  - VCT2 (BLUE)
  - CT1 (GREY)
  - PAINT ACCENT COLOR

- NOTE:**
- REFER TO 090600 FOR COLOR FINISH SPECIFICATIONS.
  - INTERIOR PAINT LOCATIONS TO BE SITE VERIFIED BY DESIGNER/ARCHITECT PRIOR TO PAINTING.
  - REFER TO FLOOR PATTERN PLANS FOR FLOOR PATTERNS AND ACCENT PAINT/TILE COLOR LOCATIONS.
  - ALL EXPOSED DUCTWORK, REGISTER GRILLES & STRUCTURAL ELEMENTS TO BE PRIMED & PAINTED.
  - SORTITS TO BE PAINTED ON FACE AND UNDERSIDE, U.N.O.
  - ROOMS WITHOUT FLOOR PATTERNS, REFER TO FINISH SCHEDULE FOR FINISH.

<b>CONSULTANTS:</b>		<b>ARCHITECT/ENGINEERS:</b>		<b>Drawing Title</b>		<b>Project Title</b>		<b>Project Number</b>		<b>Office of Construction and Facilities Management</b>	
				FIRST FLOOR FINISH PLAN		BUILDING 24 SEISMIC CORRECTION AND ADDITION		570-215			
						Approved Project Director		Location		Building Number	
								VAMC FRESNO, CA		24	
								Date		Drawing Number	
								March 12, 2013		AF201	
								Checked		Dwg. 43 of 176	
								BB			
								Drawn			
								CLO, SS			